











Discover Perfectly Clean

Limpieza para la industria electrónica







Discover Perfectly Clean

MicroCare for Electronics Assembly:

- Reduce manufacturing costs
- Improve safety and compliance
- Maximise production efficiencies
- Minimise defects and waste



Trust the reliable MicroCare Critical Cleaning Lab chemists and field engineers. Through on-site consultation and in-lab cleaning trials, we help you choose the best cleaning fluid for perfectly cleaned parts.

For more information and to download SDS or technical data sheets, visit our website **MicroCare.com**



MicroCare, ExPoxy, IsoClean, MicroWipe, MultiClean, OPTIXX, PowerClean, ProClean, ScreenClean, ShockShield, SpecClean, StatZAP, SuprClean, TidyPen, TriggerGrip, UltraClean, VeriClean, CleanWipes, the MicroCare logo, the Optixx logo and the TidyPen logo are trademarks or registered trademarks of MicroCare Corp.

www.tch.es

WE MAKE CRITICAL CLEANING EASIER!

MicroCare is the industry leader with more than 35 years of experience in fast, efficient, safe and cost-effective cleaning of electronic components and PCBs.

Our quality, innovation and service has earned the trust of companies around the globe. Find more details on the following pages or visit: **MicroCareElectronics.com**

TABLE OF CONTENTS

Flux Remover Selection Guide	3
Flux Removers	4-8
Dust & Label Removers	9
Contact Cleaner & Circuit Chillers	9
TriggerGrip™ Cleaning System	10-11
Presaturated Wipes & Refills	12-13
Lint-Free Wipes & Stencil / Equipment Cleaning	14-15
Tidy Pen™ Adhesive Remover	15



sac@tch.es



FLUX REMOVER Selection Guide



Compare our best selling electronics cleaners on two important characteristics: **SAFETY & CLEANING STRENGTH**

NONFLAMMABLE Flux Removers



FLUX REMOVER	Best On	Cleaning Strength (Kb)	Plastic Safe	TriggerGrip™ Compatible	Odour	Drying Speed	VOC Content
General Purpose Flux Remover C MCC-FRC107 (pg. 4)	No Clean / Rosin / Water Soluble	25 (Medium)	Test	\checkmark	Low	Fast	590 g/L
Universal MCC-UFR107 (pg. 6)	Rosin	34 (Medium)	Test	\checkmark	Slight	Fast	59 g/L
PowerClean™ Lead-Free MCC-PW2101 (pg. 8)	Lead-Free	115 (Very Strong)	Test	\checkmark	Low	Fast	1,080 g/L

FLAMMABLE Flux	Removers	No	roCare Ranover VerGeare	MeroCare Robot Eshand Pockar	MicroCare WCFRe Par Remover Utracles	MicroCar Polar Fux Remo	Heavy Duty
FLUX REMOVER	Best On	Cleaning Strength (Kb)	Plastic Safe	TriggerGrip™ Compatible	Odour	Drying Speed	VOC Content
VeriClean™ No Clean MCC-DC1107 (pg. 5)	No Clean	18 (Mild)	Yes	\checkmark	Slight	Fast	87 g/L
IsoClean™ IPA-Based MCC-BAC127 (pg. 5)	No Clean / Rosin / Water Soluble	20 (Mild)	Yes	\checkmark	Alcohol	Medium	785 g/L
ProClean™ Alcohol-Enhanced MCC-PRO127 (pg. 6)	No Clean / Rosin / Water Soluble	45 (Medium)	Yes	\checkmark	Alcohol	Slow	785 g/L
UltraClean™ VOC-Free MCC-VOC107 (pg. 7)	No Clean / Lead Free	56 (Strong)	Test	\checkmark	Low	Medium	0 g/L
Polar MCC-PFR107 (pg. 7)	No Clean / Resin	72 (Strong)	Test	\checkmark	Acetone	Slow	600 g/L
SuprClean™ Heavy Duty MCC-SPR2127 (pg. 8)	Rosin	110 (Very Strong)	Test	\checkmark	Low	Fast	1,080 g/L

www.tch.es

sac@tch.es







General Purpose Flux Remover - Flux Remover C

SUPERIOR RESULTS ON NO-CLEAN AND ROSIN FLUXES

- Recommended as a general-purpose PCB cleaner
- Nonflammable for better safety
- Medium strength, fast-drying, low odour
- TriggerGrip[™] cleaning system compatible

Technical Details

Chemical Family: HFE Blend | Cleaning Strength (Kb): 25 | Nonflammable Evaporation: Fast | VOC Content (g/L): 590 | RoHS/WEEE/REACH/EPA SNAP Compliant

PRODUCT	PART NUMBER	PACKAGING
General Purpose	MCC-FRC107	300 g (214 mL) Aerosol
Flux Remover C	MCC-FRC2G	4.54 kg (3.79 L) Minipail
	MCC-FRC2P	22.68 kg (18.93 L) Pail
	MCC-FRC2D	226.8 kg (208.2 L) Drum



Page 4 MicroCareElectronics.com WWW.tch.es

sac@tch.es

No-Clean Flux Remover - VeriClean™

THE ECONOMICAL CHOICE FOR NO-CLEAN FLUXES AND PASTES

- Also removes hard-to-clean silicones (oils, coatings, greases & adhesives)
- Excellent toxicity rating makes it safe for workers
- Mild strength, fast drying, low odour
- TriggerGrip[™] cleaning system compatible

Technical Details

Chemical Family: Methyl Siloxanes | Cleaning Strength (Kb): 18 (Est.) Flammable | Evaporation: Fast | VOC Content (g/L): 87 RoHS/WEEE/REACH/EPA SNAP Compliant

PRODUCT		PART NUMBER	PACKAGING
No-Clean Flux Remover	NEW SIZE!	MCC-DC1PEN	1 Pen (10 mL)
VeriClean™		MCC-DC1107	284 g (341 mL) Aerosol
	NEW SIZE!	MCC-DC1157	425 g (616 mL) Aerosol
		MCC-DC1G	2.72 kg (3.79 L) Minipail
		MCC-DC1P	14.52 kg (18.93 L) Pail
		MCC-DC1D	149.69 kg (208.2 L) Drum

NEW Unique Packaging



NO CLEAN FLUX REMOVER CLEANING PEN

FOR SPOT-CLEANING NO-CLEAN FLUXES ON PCBS



MicroCare

Flux Remover

VeriClean

No-Clean

Care

ver riClean

- Best on no-clean fluxes, silicone oils, coatings, grease, adhesives and inks
- Mild cleaner with a low odour and fast drying time
- Part Number: MCC-DC1PEN

IPA-Based Flux Remover - IsoClean[™]

IDEAL FOR WATER-BASED, ROSIN AND NO-CLEAN FLUXES

- Use for general cleaning of stencils, PCBs, workbenches
- Economical choice
- 99.8% Isopropyl alcohol for more consistent cleaning
- Mild strength, medium-drying, mild alcohol odour
- TriggerGrip[™] cleaning system compatible

Technical Details

Chemical Family: Alcohol | Cleaning Strength (Kb Value): 20 Flammable | Evaporation: Medium | VOC Content (g/L): 785 RoHS/WEEE/REACH/EPA SNAP Compliant

PRODUCT	PART NUMBER	PACKAGING
IPA-Based Flux Remover	MCC-BAC127	340 g (409 mL) Aerosol
IsoClean™	MCC-BACG	2.72 kg (3.79 L) MiniCube Container
	MCC-BACP	14.52 kg (18.93 L) Cube Container
	MCC-BACD	161.03 kg (208.2 L) Drum



www.tch.es

sac@tch.es

Alcohol-Enhanced Flux Remover - ProClean™

IDEAL FOR R, RA, RMA, OA AND SA FLUXES AND PASTES

- A blend of alcohols delivers better cleaning than straight isopropyl alcohol
- Use on solder pastes, fluxes and fresh chip bonder
- Economical choice
- Medium strength, slow-drying, alcohol odour
- TriggerGrip[™] cleaning system compatible

Technical Details

Chemical Family: Alcohol | Cleaning Strength (Kb): 45 (Est.) Flammable | Evaporation: Slow | VOC Content (g/L): 785 RoHS/WEEE/REACH/EPA SNAP Compliant

PRODUCT		PART NUMBER	PACKAGING
Alcohol-Enhanced	NEW SIZE!	MCC-PROPEN	1 Pen (10 mL)
Flux Remover ProClean™		MCC-PRO127	340 g (392 mL) Aerosol
FIOCICAII	NEW SIZE!	MCC-PRO167	454 g (528 mL) Aerosol
		MCC-PROGI	2.72 kg (3.79 L) Pail
		MCC-PROPI	14.52 kg (18.93 L) Pail
		MCC-PROD	161.03 kg (208.2 L) Drum



🥕 NEW Unique Packaging



WATER SOLUBLE FLUX REMOVER CLEANING PEN

MAKES TOUCH-UP CLEANING OF ORGANIC ACID FLUXES FAST & EASY



Cleans rosin, water based and no-clean fluxes and fresh chip bonder
Medium strength with an alcohol odour & slow drying time

Also available in:

Page 13

Presaturated Wipes

Strong & Lint-Free

Part No: MCC-PROW

Part Number: MCC-PROPEN

Universal Flux Remover

EXCELLENT FOR NO-CLEAN AND ROSIN FLUX RESIDUE

- Also removes oils, grease, fingerprints and silicone
- Nonflammable for better safety
- No VOCs, low global warming
- Medium strength, fast drying, no odour
- TriggerGrip[™] cleaning system compatible



Technical Details

Chemical Family: HFO Azeotrope | Cleaning Strength (Kb): 34 | Nonflammable Evaporation: Fast | VOC Content (g/L): 59 | RoHS/WEEE/REACH/EPA SNAP Compliant

PRODUCT	PART NUMBER	PACKAGING
Universal Flux Remover	MCC-UFR107	300 g (242 mL) Aerosol



www.tch.es

sac@tch.es

Polar Flux Remover

VERY GOOD CLEANER FOR REMOVING HEAVY OR AGE-HARDENED ROSIN, RA AND RMA FLUXES

- Good on polar and ionic activators in rosin, RA and RMA fluxes
- Best choice for PCB rework and repair, and post-flow assembly
- · Longer drying time allows you to work bigger surface areas with less fluid
- Economical choice
- Strong cleaning, slow-drying, acetone odour
- TriggerGrip™ cleaning system compatible

Technical Details

Chemical Family: Organic Solvents | Cleaning Strength (Kb): 72 | Flammable Evaporation: Slow | VOC Content (g/L): 600 | RoHS/WEEE/REACH/EPA SNAP Compliant

PRODUCT	PART NUMBER	PACKAGING
Polar Flux Remover	MCC-PFR107	300 g (225 mL) Aerosol

VOC-Free Flux Remover - UltraClean™

HIGHLY-EFFECTIVE ON NO-CLEAN AND ROSIN FLUXES

- Also removes hard-to-clean silicones (oils, coatings, greases, adhesives)
- No chlorine, no halogens, no VOCs, and a very low GWP
- Economical choice
- · Strong cleaning, medium drying, low odour
- · Offers current and long-term regulatory compliance
- TriggerGrip[™] cleaning system compatible

Technical Details

Chemical Family: Siloxanes | Cleaning Strength (Kb): 56 | Flammable Evaporation: Medium | VOC Content (g/L): 0 | RoHS/WEEE/REACH/EPA SNAP Compliant

PRODUCT	PART NUMBER	PACKAGING
VOC-Free Flux Remover UltraClean™	MCC-VOC107	284 g (316 mL) Aerosol





RMA FLUX REMOVER CLEANING PEN

REMOVES THE TOUGHEST, HEAVY AGED & BURNED-ON SOLDER PASTES

- Good at removing polar and ionic activators in rosin, RA and RMA fluxes
- Strong cleaner with an acetone odour & slow drying time

PRODUCT	PART NUMBER	PACKAGING
RMA FLUX REMOVER PEN	MCC-RMAPEN	1 Pen (10 mL)



RMA Flux REMOVER PEN

MicroCare

Polar

Flux Remover

www.tch.es

sac@tch.es

956 20 11 12

MicroCare



Heavy Duty Flux Remover - SuprClean™

REMOVES BAKED-ON FLUXES, PASTES AND ELECTRONIC GREASES

- Recommended for cleaning high-temp rosin, RA and RMA fluxes and acrylic conformal coatings
- · Great choice for mil-spec PCBs, cables and connector cleaning
- Very strong cleaning, fast drying, low odour
- TriggerGrip[™] cleaning system compatible

Technical Details

Chemical Family: HFE Blend | Cleaning Strength (Kb): 110 Flammable | Evaporation: Fast | VOC Content (g/L): 1080 RoHS/WEEE/REACH/EPA SNAP Compliant

Flammable

Nonflammable

PRODUCT	PART NUMBER	PACKAGING
Heavy Duty Flux Remover SuprClean™ Aerosol	MCC-SPR2127	340 g (350 mL) Aerosol

Technical Details

Chemical Family: HFE Blend | Cleaning Strength (Kb): 110 Nonflammable | Evaporation: Fast | VOC Content (g/L): 1080 RoHS/WEEE/REACH/EPA SNAP Compliant

PRODUCT	PART NUMBER	PACKAGING
Heavy Duty Flux Remover	MCC-SPR2G	4.53 kg (3.79 L) Minipail
SuprClean™ Bulk	MCC-SPR2P	22.68 kg (18.93 L) Pail
	MCC-SPR2D	226.8 kg (208.2 L) Drum



Lead-Free Flux Remover - PowerClean[™]

IDEAL FOR CLEANING LEAD-FREE FLUXES, PASTES, OILS AND INKS

- Removes white residue commonly found when cleaning lead-free fluxes
- Nonflammable for added safety
- Very strong cleaning, fast drying, low odour
- TriggerGrip[™] cleaning system compatible

Technical Details

Chemical Family: HFC Blend | Cleaning Strength (Kb): 115 | Nonflammable | Evaporation: Fast VOC Content (g/L): 1080 | RoHS/WEEE/REACH/EPA SNAP Compliant

PRODUCT	PART NUMBER	PACKAGING
Lead-Free Flux Remover	MCC-PW2101	300 g (236 mL) Aerosol
PowerClean™	MCC-PW3G	4.53 kg (3.79 L) Minipail
	MCC-PW3P	22.68 kg (18.93 L) Pail



MicroCare

www.tch.es

sac@tch.es

General Purpose & General Purpose Economy Dust Removers

HIGH-PRESSURE COMPRESSED DUSTERS

J	 Widely used to blow away dry dust & lint from PCBs, optics, machinery, circuitry & keyboards High-purity, leave no residues 		
MicroCare General Purpose	Technical Details Chemical Family: HFO Evaporation: Instant Nonflat VOC Content (g/L): 0 ROHS/WEEE/REACH/EPA SNAP		Nonflammable
Economy Dust Remover - EU	PRODUCT	PART NUMBER	PACKAGING
MicroCare	General Purpose Dust Remover	MCC-DST107	280 g (231 mL) Aerosol
General Purpose Dust Remover - EU			
	PRODUCT	PART NUMBER	PACKAGING
	General Purpose Economy Dust Remover	MCC-DST147	250 g (455 mL) Aerosol

General Purpose Cleaner & Adhesive Remover

NATURAL, BIODEGRADABLE, STRONG CLEANING PERFORMANCE

- Reintroducing Slow-Drying Flux Remover (MCC-EC7M)
- Cleans fluxes, conformal coatings, adhesives, dirt, moisture & light oxides from circuit boards
- Slow drying time helps with cleaning stubborn fluxes & adhesives; dries residue-free
- TriggerGrip[™] cleaning system compatible

Technical Details

Chemical Family: Terpene Hydrocarbon | Cleaning Strength (Kb Value): 67 | Flammable Evaporation: Slow | VOC Content (g/L): 736 | RoHS/WEEE/REACH/EPA SNAP Compliant

PRODUCT	PART NUMBER	PACKAGING
General Purpose Cleaner & Adhesive Remover	MCC-SDF107	284 g (386 mL) Aerosol

MicroCare'

Universal Contact Cleane

Universal Contact Cleaner

RESTORES ELECTRICAL CONTINUITY

- Plastic-safe contact cleaner and circuit rinse
- Rinses away dust, lint, grit, light oils
- Ideal for use on connectors,
- switches, electromechanical parts, circuit boards, cable harnesses, motors, keyboards and windings
- Dries in seconds with no residue
- TriggerGrip™ cleaning system compatible

Technical Details

Chemical Family: HFO Cleaning Strength (Kb): 34 | Nonflammable Evaporation: Fast | VOC Content (g/L): 59 RoHS/WEEE/REACH/EPA SNAP Compliant

PRODUCT	PART NUMBER	PACKAGING
Universal Contact Cleaner	MCC-CCH107	300 g (242 mL) Aerosol

Circuit Chillers General Purpose

NEW

QUICKLY FIND INTERMITTENT FAULTS IN CIRCUIT BOARDS

ESD-safe

Technical Details

Circuit Chiller

Chemical Family: HFO Blend

- Leaves frost on the PCB momentarily
- Chills to lower than -45°C in seconds
- Nonflammable and ultra-pure



MicroCare

Nonflammable Evapor RoHS/WEEE/ REACH/EPA		
PRODUCT	PART NUMBER	PAC
General Purpose		284 g (

MCC-FRZ107	284 g (242.7 mL) Aerosol

www.tch.es

sac@tch.es

^ℎプ TRIGGERGRIP[™] CLEANING SYSTEM





TriggerGrip[™] Dispensing Tool

MAKES HIGH-QUALITY BENCHTOP CLEANING FAST, EASY AND MORE AFFORDABLE

The unique TriggerGrip[™] PCB cleaning tool fits onto most MicroCare aerosol cans. It improves benchtop cleaning results, improves worker productivity, reduces waste, protects the environment, enhances worker safety and cuts production costs.





- Fresh, pure fluid cleans and rinses away contaminants
- Scrubbing brush gets into tight spaces
- Reduces solvent use by about 66%
 targets dirty areas & eliminates overspray
- Minimises cleaning fluid odour
- Empties the can completely no waste

PRODUCT	PART NUMBER	PACKAGING
TriggerGrip™ Dispensing Tool & One Standard Natural Bristle Brush (MCC-RBNB)	MCC-ESD	1 Tool/Box 10 Boxes/Case

Page 1	10
--------	----

www.tch.es

sac@tch.es





TriggerGrip[™] Cleaning System is Easy - USE LESS, SAVE MORE





WET & SCRUB

- Hold the PCB board at a slight angle
- Spray a small amount of the cleaning fluid
- Gently scrub residues
- Spray again if needed



RINSE & DRY

- Once the residue is loosened, lift the brush off the board and spray a small amount of the cleaning fluid to rinse
- Use a lint-free wipe or dust remover, if desired to dry

TriggerGrip[™] Replacement Brushes

Natural bristle brushes slip easily into place

seal off the top of the can

cleaning tool to the aerosol

- Reduce cleaning fluid consumption
- Speed up cleaning process

CONNECT

Last 3-4 months in normal rework environment



Surface Mount Brush MCC-SMB



Slo-Flo Brush MCC-RBNB2







Bench Mounting Kit

- Conveniently holds the aerosol can and the TriggerGrip Dispensing Tool
- Keeps aerosol can from tipping and falling
- Organizes work bench
- ESD-safe



Bench Mounting Kit includes mounting hardware

PRODUCT	PART NUMBER	PACKAGING
Standard Brush	MCC-RBNB	5 Brushes/Box
Surface Mount Brush	MCC-SMB	5 Brushes/Box
Slo-Flo Brush	MCC-RBNB2	5 Brushes/Box
Spray-Thru Syringe .035 O.D.	MCC-SR35	5 Syringes/Box

PRODUCT	PART NUMBER	PACKAGING
Bench Mounting Kit	МСС-ВКЗ	1 Kit/Box 10 Boxes/Case

www.tch.es

sac@tch.es

PRESATURATED WIPES & REFILLS



MicroCare

.....



- Convenient presaturated wipes are excellent for stencil cleaning and general surface prep
- Quickly remove solder paste and clean fingerprints, oils, grime, lint and dust from SMT stencils, plastics, metals and glass
- Each tub contains 100 strong, lint-free polyester wipes saturated with cleaning fluid
- Unique "slam-shut" top help ensure that

MultiTask Surface Cleaner Presaturated Wipe - MultiClean™

- Mild, economical surface cleaner for electronics, PCBs, tools, machinery and work benches
- Removes solder paste, fluxes, finger prints, uncured epoxy residues, light oils and grease
- 70% Isopropyl alcohol and 30% deionized water saturated wipes
- Heavy duty, ESD-safe wipe
- No rip, no lint



PRODUCT	PART NUMBER	PACKAGING
MultiTask Surface Cleaner - MultiClean™	MCC-MLCW	100 Wipes, 203 mm x 127 mm
Refill	MCC-MLCWR	100 Wipes, 203 mm x 127 mm

Page 12

www.tch.es

sac@tch.es



ESD Presaturated Cleaning Wipes

The ESD Cleaning Wipe provides fast and safe cleaning in almost any production environment. Static dissipative lint-free wipes for cleaning ESD mats, bins, benches, tool racks and more. Thoroughly cleans flux, uncured adhesives, dirt, grease and oils.

NEW

- Non-corrosive, very pure blend, water-free alcohols
- Presaturated and static dissipative lintfree wipes for cleaning ESD mats, bins, benches, tool racks and more
- Thoroughly cleans flux, uncured adhesives, dirt, grease and oils
- Environmental friendly formula
- Nonflammable, no IPA formula
- Does not dry out or flash near a heat source
- Heavy duty, ESD-safe wipe
- No rip, no lint

ESD Cleaning wipe MicroCare Band

MicroCare

PRODUCT	PART NUMBER	PACKAGING
ESD Presaturated Cleaning Wipes	MCC-EC00W	100 Wipes, 203 mm x 127 mm
Refill	MCC-EC00WR	100 Wipes, 203 mm x 127 mm

Alcohol-Enhanced Presaturated Wipe - ProClean[™]

- Non-corrosive, very pure blend, water-free alcohols
- Excellent on lead-free pastes
- Stronger, faster stencil cleaner
- Faster drying, no rinsing required
- Heavy duty, ESD-safe wipe
- No rip, no lint

Uncured Epoxy Cleaner Presaturated Wipe - Expoxy[™]

- The strongest stencil cleaner and degreaser
- Removes uncured epoxy, cured chip bonder, grease, solder paste, light oils and some inks
- Water and alcohol mix
- Heavy duty, ESD-safe wipe
- No rip, no lint



PRODUCT	PART NUMBER	PACKAGING
Alcohol-Enhanced - ProClean™	MCC-PROW	100 Wipes, 203 mm x 127 mm
Refill	MCC-PROWR	100 Wipes, 203 mm x 127 mm



PRODUCT	PART NUMBER	PACKAGING
Uncured Epoxy Cleaner - Expoxy™	MCC-EPXW	100 Wipes, 203 mm x 127 mm
Refill	MCC-EPXWR	100 Wipes, 203 mm x 127 mm

www.tch.es

sac@tch.es

STENCIL / EQUIPMENT CLEANING & LINT-FREE WIPES



Lint-Free Wipes

VARIETY OF SIZES, PACKAGING & WEIGHTS FOR EVERY APPLICATION

- No binders ensuring maximum purity
- Enormous variety of woven, knitted and non-woven choices
- · All are high strength, non-linting fabric for max performance
- High-purity packaging available for cleanroom environments
- Optical grades also available

PRODUCT	DESCRIPTION	PART NUMBER	SIZE & PACKAGING
General Purpose Wipes	Economical, medium absorption polyester/cellulose wipesGreat for use on the rework bench	MCC-W66	152 mm x 152 mm 50 Sheet / Bag
	 Non-woven polyester wipes - strong, absorbent, bulky and soft For heavy-duty, nonabrasive applications 	MCC-W66CP	152 mm x 152 mm 300 Sheets / Bag
	Jumbo economy package - lint-free paper wipesOptimal size for stencil wiping	MCC-W99	228 mm x 228 mm 300 Sheets / Bag
Fiber Optic & Phototonic Device Wipes	 High-purity, opitcal-grade polyester wipes Sized for more delicate cleaning - optical devices, microscopes and smaller tools 	MCC-WF44	101 mm x 101 mm 50 Sheets / Bag
Stencil Wipes	Relatively low lintingGood purity polyester/cellulose wipes	MCC-W11	216 mm x 279 mm 100 Sheets / Bag
	 A larger polyester/cellulose wipe for faster cleaning Textured for better scrubbing 	MCC-W12	305 x 406 mm 50 Sheets / Bag
	Strong, absorbent synthetic polymer wipesSized for the rework bench	MCC-W66DF	152 mm x 152 mm 300 Sheets / Bag



FP (Fine Pitch) Stencil Cleaning Rolls

EXACT REPLACEMENT TO OEM ROLLS AT COMPETITIVE PRICES

- ► Unique MicroCareTM FP fabric for fine-pitch stencil printing applications
- Durable and absorbent FP stencil wipes eliminate the need to use solvents during automated understencil wiping
- Reduces roll consumption and shortens cleaning cycle

PRODUCT	PART NUMBER	SIZE
MPM Premium FP	MCC-101DA	11.89 m (length) x .45 m (width) (39 ft x 18 in)
DEK Premium FP	MCC-105DA	9.14 m (length) x .53 m (width) (30 ft x 20.89 in)
EKRA Premium FP	MCC-J174DA	6.7 m (length) x .5 m (width) (22 ft x 19.68 in)

Page 14

www.tch.es

sac@tch.es



OPTIXX[™] Lens & Instrument Cleaning Kit




- Use on high-precision optical lenses, mirrors, prisms, solar cells, laser hardware and scientific instruments
- Cleans dust, oil and grime, pyrotechnic soot moisture from glass, metals, plastic and coatings
- Eliminates "static cling" that attracts dust
- Non-aerosol pump ships anywhere as "non-hazardous / not regulated"

PRODUCT	PART NUMBER	PACKAGING
OPTIXX [™] Precision Lens & Instrument Screen Cleaning Kit	MCC-OTXCK	Cleaning Kit: Cleaning Fluid & Cleaning Wipes

Reflow Oven Cleaner

- Speeds cleaning of ovens even when hot
- Cleans pallets, baffles, heating elements, clamps, chains, drive gears and housings
- Can be used in dip tanks and ultrasonic cleaners
- Melts away burned-on flux residues from wave solder machines and reflow ovens
- Four times faster than isopropyl alcohol
- Nonflammable and non-foaming

Technical Details



PRODUCT	PART NUMBER	PACKAGING
Reflow Oven Cleaner	MCC-ROC	340 g (260 mL) Pump Spray
(Refillable)	MCC-ROCG	3.18 kg (3.79 L) Cube Container
	MCC-ROCP	13.61 kg (18.39 L) Cube Container
	MCC-ROCD	197.78 kg (208.2 L) Drum

MicroCare



TidyPen[™] Adhesive & Label Remover

THE 60-SECOND STICKY STUFF REMOVER

- Simple, fast and convenient cleaning
- Excellent for removing adhesives, tape residues, pressure sensitive marking tags, paper labels, stickers, EPROM labels and Kapton® residues
- Extremely cost-effective

Chemical Family: Terpene Hydrocarbons

Technical Details

Cleaning Strength: 67



PACKAGING

MicroCare

Aqueous Stencil Cleane

Flammable VOC Content (g/L): 840 RoHS/WEEE/REACH/EPA SNAP Compliant		
PRODUCT	PART NUMBER	
TidyPen™ Adhesive & Label		

TidyPen™ Adhesive & Label Remover - 1 pen	MCC-PO1	1 Pen / Box 100 Boxes / Case
TidyPen™ Adhesive & Label Remover- 5 pen pack	MCC-PEN	5 Pens / Box 20 Boxes / Case
TidyPen™ Chisel-Point Nibs	MCC-P4OC	Bag of 25
TidyPen™ Pen-Point Nibs	MCC-P40P	Bag of 25

Aqueous Stencil Cleaner

- Removes all types of solder pastes, uncured chip bonder and inks
- Safe for stencils, webbing, frames and misprinted boards
- Fast and thorough cleaning, even inside stencil apertures
- Slow-drying for economical cleaning
- Suitable for use in ultrasonic cleaning tanks
- Nonflammable and non-foaming

Technical Details

Chemical Family: Water-Based Nonflammable | VOC Content (g/L): 209 RoHS/WEEE/REACH/EPA SNAP Compliant

PRODUCT	PART NUMBER	PACKAGING
Aqueous Stencil Cleaner	MCC-BGA	340 g (260 mL) Pump Spray
(Refillable)	MCC-BGAG	3.18 kg (3.79 L) Cube Container
	MCC-BGAP	14.52 kg (18.39 L) Cube Container
	MCC-BGAD	181 kg (208.2 L) Drum



sac@tch.es



Innovative Cleaning Products

GET ELECTRONICS CLEANER, FASTER, SAFER

MicroCare has the largest selection of critical cleaning products and the know-how to get your electronic components and printed circuit boards perfectly clean at the lowest cost per part.

- Flux Removers
- Presaturated Wipes
- Precision Cleaning Fluids for Vapour Degreasers







- Regulatory Compliance
- World-Class Customer Service

MicroCareElectronics.com

Our team of chemists, technical

engineers and regulatory specialists

challenging critical cleaning problems.

provide solutions for today's most

- View Full Product Line
- Watch Instructional Videos
- Download SDS & Technical Data Sheets
- Regulatory News, Case Studies & more!



Lab Services Solve Problems



ON-SITE CLEANING AUDITS IN-LAB CLEANING TRIALS



CONTACT US TODAY



- Teléfono: 956 20 11 12.
- Email: sac@tch.es / info@tch.es
- Página web: www.tch.es
- Tienda online: www.tchshop.es

TECHNOLOGY AND CHEMICAL - Avenida Consejo de Europa, Recinto interior Zona Franca, Edificio Altas, 11011 Cádiz, Cádiz.